

## LAMPIRAN

### UJI VALIDITAS

#### VARIABEL MODAL (X1)

<b>Correlations</b>						
		MODAL 1	MODAL 2	MODAL 3	MODAL 4	TOTALMODA L
MODAL1	Pearson Correlation	1	.464**	.377**	.438**	.743**
	Sig. (2-tailed)		.000	.005	.001	.000
	N	53	53	53	53	53
MODAL2	Pearson Correlation	.464**	1	.304*	.096	.631**
	Sig. (2-tailed)	.000		.027	.492	.000
	N	53	53	53	53	53
MODAL3	Pearson Correlation	.377**	.304*	1	.695**	.819**
	Sig. (2-tailed)	.005	.027		.000	.000
	N	53	53	53	53	53
MODAL4	Pearson Correlation	.438**	.096	.695**	1	.762**
	Sig. (2-tailed)	.001	.492	.000		.000
	N	53	53	53	53	53
TOTALMODA L	Pearson Correlation	.743**	.631**	.819**	.762**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	53	53	53	53	53

\*\*. Correlation is significant at the 0.01 level (2-tailed).

\*. Correlation is significant at the 0.05 level (2-tailed).

### VARIABEL JAM KERJA (X2)

Correlations					
		JAMKERJA1	JAMKERJA2	JAMKERJA3	TOTALJAMKERJA
JAMKERJA1	Pearson Correlation	1	-.254	.033	.338*
	Sig. (2-tailed)		.066	.814	.013
	N	53	53	53	53
JAMKERJA2	Pearson Correlation	-.254	1	.305*	.650**
	Sig. (2-tailed)	.066		.027	.000
	N	53	53	53	53
JAMKERJA3	Pearson Correlation	.033	.305*	1	.782**
	Sig. (2-tailed)	.814	.027		.000
	N	53	53	53	53
TOTALJAMKERJA	Pearson Correlation	.338*	.650**	.782**	1
	Sig. (2-tailed)	.013	.000	.000	
	N	53	53	53	53

\*. Correlation is significant at the 0.05 level (2-tailed).

\*\*. Correlation is significant at the 0.01 level (2-tailed).

### VARIABEL LAMA USAHA (X3)

Correlations					
		LAMAUSAHA1	LAMAUSAHA2	LAMAUSAHA3	TOTALLAMAUSAHA
LAMAUSAHA1	Pearson Correlation	1	.031	.115	.689**
	Sig. (2-tailed)		.827	.410	.000
	N	53	53	53	53
LAMAUSAHA2	Pearson Correlation	.031	1	.036	.521**
	Sig. (2-tailed)	.827		.800	.000
	N	53	53	53	53
LAMAUSAHA3	Pearson Correlation	.115	.036	1	.616**
	Sig. (2-tailed)	.410	.800		.000
	N	53	53	53	53
TOTALLAMAUSAHA	Pearson Correlation	.689**	.521**	.616**	1
	Sig. (2-tailed)	.000	.000	.000	
	N	53	53	53	53

\*\*. Correlation is significant at the 0.01 level (2-tailed).

### VARIABEL PENDAPATAN (Y)

Correlations				
		PENDAPATAN1	PENDAPATAN2	TOTALPENDAPATAN
PENDAPATAN1	Pearson Correlation	1	.464**	.822**
	Sig. (2-tailed)		.000	.000
	N	53	53	53
PENDAPATAN2	Pearson Correlation	.464**	1	.885**
	Sig. (2-tailed)	.000		.000
	N	53	53	53
TOTALPENDAPATAN	Pearson Correlation	.822**	.885**	1
	Sig. (2-tailed)	.000	.000	
	N	53	53	53

\*\*. Correlation is significant at the 0.01 level (2-tailed).

### REABILITAS

#### VARIABEL MODAL (X1)

Case Processing Summary			
		N	%
Cases	Valid	53	100.0
	Excluded <sup>a</sup>	0	.0
	Total	53	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics		
Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
.793	.851	5

Item Statistics			
	Mean	Std. Deviation	N
MODAL1	4.11	.725	53
MODAL2	3.58	.887	53
MODAL3	3.89	.891	53
MODAL4	3.91	.883	53
TOTALMODAL	15.49	2.501	53

Inter-Item Correlation Matrix					
	MODAL1	MODAL2	MODAL3	MODAL4	TOTALMODAL
MODAL1	1.000	.464	.377	.438	.743
MODAL2	.464	1.000	.304	.096	.631
MODAL3	.377	.304	1.000	.695	.819
MODAL4	.438	.096	.695	1.000	.762
TOTALMODAL	.743	.631	.819	.762	1.000

Item-Total Statistics					
	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
MODAL1	26.87	20.155	.667	.	.763
MODAL2	27.40	20.205	.505	.	.782
MODAL3	27.09	18.510	.745	.	.732
MODAL4	27.08	19.071	.670	.	.749
TOTALMODAL	15.49	6.255	1.000	.	.718

Scale Statistics			
Mean	Variance	Std. Deviation	N of Items
30.98	25.019	5.002	5

## **VARIABEL JAM KERJA (X2)**

Case Processing Summary			
		N	%
Cases	Valid	53	100.0
	Excluded <sup>a</sup>	0	.0
	Total	53	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics		
Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
.696	.641	4

Item Statistics			
	Mean	Std. Deviation	N
JAMKERJA1	4.43	.537	53
JAMKERJA2	4.34	.678	53
JAMKERJA3	4.32	.673	53
TOTALJAMKERJA	13.09	1.148	53

Inter-Item Correlation Matrix				
	JAMKERJA1	JAMKERJA2	JAMKERJA3	TOTALJAMKERJA
JAMKERJA1	1.000	-.254	.033	.338
JAMKERJA2	-.254	1.000	.305	.650
JAMKERJA3	.033	.305	1.000	.782
TOTALJAMKERJA	.338	.650	.782	1.000

Item-Total Statistics					
	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
JAMKERJA1	21.75	4.727	.109	.	.792
JAMKERJA2	21.85	3.708	.423	.	.667
JAMKERJA3	21.87	3.309	.617	.	.563
TOTALJAMKERJA	13.09	1.318	1.000	.	.133

Scale Statistics			
Mean	Variance	Std. Deviation	N of Items
26.19	5.271	2.296	4

### VARIABEL LAMA USAHA (X3)

Case Processing Summary		
	N	%
Cases	Valid	53
	Excluded <sup>a</sup>	0
	Total	53
a. Listwise deletion based on all variables in the procedure.		

Reliability Statistics		
Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
.704	.668	4

Item Statistics			
	Mean	Std. Deviation	N
LAMAUSAHA1	4.11	.670	53
LAMAUSAHA2	3.91	.529	53
LAMAUSAHA3	4.11	.577	53
TOTALLAMAUSAHA	12.13	1.093	53

Inter-Item Correlation Matrix				
	LAMAUSAHA1	LAMAUSAHA2	LAMAUSAHA3	TOTALLAMAU SAHA
LAMAUSAHA1	1.000	.031	.115	.689
LAMAUSAHA2	.031	1.000	.036	.521
LAMAUSAHA3	.115	.036	1.000	.616
TOTALLAMAUSAHA	.689	.521	.616	1.000

Item-Total Statistics					
	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item- Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
LAMAUSAHA1	20.15	3.208	.466	.	.655
LAMAUSAHA2	20.36	3.850	.311	.	.730
LAMAUSAHA3	20.15	3.554	.408	.	.689
TOTALLAMAUSAHA	12.13	1.194	1.000	.	.167

Scale Statistics			
Mean	Variance	Std. Deviation	N of Items
24.26	4.775	2.185	4

### VARIABEL PENDAPATAN (Y)

Case Processing Summary			
		N	%
Cases	Valid	53	100.0
	Excluded <sup>a</sup>	0	.0
	Total	53	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics		
Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
.867	.887	3

Item Statistics			
	Mean	Std. Deviation	N
PENDAPATAN1	4.11	.725	53
PENDAPATAN2	3.58	.887	53
TOTALPENDAPATAN	7.70	1.381	53

Inter-Item Correlation Matrix			
	PENDAPATAN1	PENDAPATAN2	TOTALPENDAPATAN
PENDAPATAN1	1.000	.464	.822
PENDAPATAN2	.464	1.000	.885
TOTALPENDAPATAN	.822	.885	1.000

Item-Total Statistics					
	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item- Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
PENDAPATAN1	11.28	4.861	.702	.	.892
PENDAPATAN2	11.81	4.079	.772	.	.807
TOTALPENDAPATAN	7.70	1.907	1.000	.	.625


Scale Statistics			
Mean	Variance	Std. Deviation	N of Items
15.40	7.628	2.762	3


## UJI ASUMSI KLASIK

### NORMALITAS

One-Sample Kolmogorov-Smirnov Test		
		Unstandardized Residual
N		53
Normal Parameters <sup>a,b</sup>	Mean	.0000000
	Std. Deviation	.79656075
Most Extreme Differences	Absolute	.120
	Positive	.120
	Negative	-.100
Test Statistic		.120
Asymp. Sig. (2-tailed)		.054 <sup>c</sup>
a. Test distribution is Normal.		
b. Calculated from data.		
c. Lilliefors Significance Correction.		

Normal P-P Plot of Regression Standardized Residual






## MULTIKOLINEARITAS

Coefficients <sup>a</sup>							
Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
	B	Std. Error	Beta			Tolerance	VIF
	(Constant)	-.046	1.719		.979		
1	<b>TOTALMODAL</b>	.423	.048	.767	8.823	.000	.899
	<b>TOTALJAMKERJA</b>	-.114	.101	-.095	-1.129	.265	.955
	<b>TOTALLAMAUSAHA</b>	.221	.109	.175	2.039	.047	.921
	a. Dependent Variable: TOTALPENDAPATAN						

## HETEROSKEDASTISITAS



Coefficients <sup>a</sup>						
Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	
	B	Std. Error	Beta			
1	(Constant)	3.107	1.168		2.660	.011
	TOTALMODA L	-.042	.033	-.183	-1.294	.202
	TOTALJAMKE RJA	-.121	.069	-.240	-1.753	.086
	TOTALLAMA USAHA	-.027	.074	-.051	-.365	.716

a. Dependent Variable: abs\_res

## UJI HIPOTESIS

### UJI T

$$df = n-k-1$$

$$df = 53-3-1$$

$$df = 49$$

$$t \text{ table} = 2,010$$

Coefficients <sup>a</sup>						
Model	Unstandardized Coefficients			Standardized Coefficients	t	Sig.
	B	Std. Error	Beta			
1	(Constant)	-.046	1.719		-.027	.979
	TOTALMODAL	.423	.048	.767	8.823	.000
	TOTALJAMKERJA	-.114	.101	-.095	-1.129	.265
	TOTALLAMAUSAHA	.221	.109	.175	2.039	.047

a. Dependent Variable: TOTALPENDAPATAN

### UJI F

ANOVA <sup>a</sup>						
Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	66.175	3	22.058	32.759	.000 <sup>b</sup>
	Residual	32.994	49	.673		
	Total	99.170	52			

a. Dependent Variable: TOTALPENDAPATAN

b. Predictors: (Constant), TOTALLAMAUSAHA, TOTALJAMKERJA, TOTALMODAL

## **KOEFISIEN DETERMINASI (R<sup>2</sup>)**

Model Summary <sup>b</sup>				
Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.817 <sup>a</sup>	.667	.647	.821

a. Predictors: (Constant), TOTALLAMAUSAHA, TOTALJAMKERJA, TOTALMODAL

b. Dependent Variable: TOTALPENDAPATAN

## **STATISTIK DESKRIPTIF**